

ผศ.ดร.ทพ. พีรพงศ์ สันติวงศ์

ผลงานทางวิชาการ

Chancharoen, S., Santiwong, P., Seriwatanachai, D., Khantachawana, A., Chintavalakorn, R. (2022) A Novel Alveolar Distractor Incorporating Nickel–Titanium Alloy Springs: A Preliminary In Vitro Study. *Materials* 15(15), 5151

Assawakawintip, T., Santiwong, P., Khantachawana, A., Sipiyaruk, K., Chintavalakorn, R. (2022) The Effects of Temperature and Time of Heat Treatment on Thermo-Mechanical Properties of Custom-Made NiTi Orthodontic Closed Coil Springs. *Materials* 15(9), 3121

Santiwong, P., Sommaluan, K., Mokkasak, S., (...), Rattanaopas, T., Sipiyaruk, K. (2022) The implementation of PROMs/PREMs in the assessment of orthodontic treatment outcomes: A questionnaire survey. *Journal of International Society of Preventive and Community Dentistry* 12(2), pp. 210-215

Santiwong, P., Phenphasit, P., Chatthanavej, R., (...), Anantapanyagul, S., Sipiyaruk, K. (2021) Self-perceived needs for orthodontic retreatment among dental students: A qualitative study. *Journal of International Society of Preventive and Community Dentistry* 11(4), pp. 402-407

Chaweewannakorn, C., Santiwong, P., Surarit, R., Sritanaudomchai, H., Chintavalakorn, R. (2021) The effect of LED photobiomodulation on the proliferation and osteoblastic differentiation of periodontal ligament stem cells: in vitro. *Journal of the World Federation of Orthodontists* 10(2), pp. 79-85

Wadud, A., Kitisubkanchana, J., Santiwong, P., Theerathavaj Srithavaj, M.L. (2021) Face Proportions, and Analysis of Maxillary Anterior Teeth and Facial Proportions in a Thai Population. *Open Dentistry Journal* 15(1), pp. 398-404

Santiwong, P., Kobkitsakul, P., Khantachawana, A., Chintavalakorn, R. (2021) Effect of laser welding on mechanical properties of round-rectangular nickel-titanium (NiTi) orthodontic wires. *Orthodontic Waves* 80(1), pp. 33-40

Mongkolchart, W., Santiwong, P., Chintavalakorn, R., Khantachawana, A. (2019) Effect of surface treatment on physical and mechanical properties of nickel-titanium orthodontic archwires by fine particle shot peening method. *Key Engineering Materials* 801 KEM, pp. 33-38

Tantiwinyupong, N., Chintavalakorn, R., Santiwong, P., Khantachawana, A. (2019) Frictional and mechanical properties of surface modified nickel-titanium orthodontic archwires. *Key Engineering Materials* 801 KEM, pp. 39-43