

ผศ.ดร.ทพญ. รชยา จินตวลากร

ผลงานทางวิชาการ

Chancharoen, S., Santiwong, P., Seriwatanachai, D., Khantachawana, A., Chintavalakorn, R. (2022) A Novel Alveolar Distractor Incorporating Nickel–Titanium Alloy Springs: A Preliminary In Vitro Study. *Materials* 15(15), 5151

Chintavalakorn, R., Saengfai, N., Sipiyaruk, K. (2022) The protocol of low-level laser therapy in orthodontic practice: A scoping review of literature. *Journal of International Society of Preventive and Community Dentistry* 12(3), pp. 267-286

Assawakawintip, T., Santiwong, P., Khantachawana, A., Sipiyaruk, K., Chintavalakorn, R. (2022) The Effects of Temperature and Time of Heat Treatment on Thermo-Mechanical Properties of Custom-Made NiTi Orthodontic Closed Coil Springs. *Materials* 15(9), 3121

Mittrattanakul, S., Neoh, S.P., Chalarmchaichaloenkit, J., (...), Taechushong, N., Chintavalakorn, R. (2022) Accuracy of the Intraoral Scanner for Detection of Tooth Wear. *International Dental Journal*

Chaweewannakorn, C., Santiwong, P., Surarit, R., Sritanaudomchai, H., Chintavalakorn, R. (2021) The effect of LED photobiomodulation on the proliferation and osteoblastic differentiation of periodontal ligament stem cells: in vitro. *Journal of the World Federation of Orthodontists* 10(2), pp. 79-85

Supakomonnun, S., Mitirattanakul, S., Chintavalakorn, R., Saengfai, N.N. (2021) Influence of functional and esthetic expectations on orthodontic pain | [Einfluss von funktionellen und ästhetischen Erwartungen auf Schmerzen bei der kieferorthopädischen Behandlung]

Journal of Orofacial Orthopedics

Santiwong, P., Kobkitsakul, P., Khantachawana, A., Chintavalakorn, R. (2021) Effect of laser welding on mechanical properties of round-rectangular nickel-titanium (NiTi) orthodontic wires. *Orthodontic Waves* 80(1), pp. 33-40

Mongkolchart, W., Santiwong, P., Chintavalakorn, R., Khantachawana, A. (2019) Effect of surface treatment on physical and mechanical properties of nickel-titanium orthodontic archwires by fine particle shot peening method. *Key Engineering Materials* 801 KEM, pp. 33-38

Tantiwinyupong, N., Chintavalakorn, R., Santiwong, P., Khantachawana, A. (2019) Frictional and mechanical properties of surface modified nickel-titanium orthodontic archwires. *Key Engineering Materials* 801 KEM, pp. 39-43